

1

- 1 *Thermography Image of a failing capacitor and schematic of a Ćuk converter*
- 2 *Capacitance and stored energy of a ferroelectric capacitor over bias voltage*
- 3 *Leakage current over temperature of different types of ceramic capacitors*

Fraunhofer IISB

Schottkystraße 10
91058 Erlangen

Contact:

Andreas Schletz
Phone +49 (0)9131 761 187
andreas.schletz@iisb.fraunhofer.de

www.iisb.fraunhofer.de




CAPACITORS CHARACTERIZATION AND LIFETIME TESTING

Our goals


- Lifetime testing of capacitors (ceramic, film, electrolytic)
- Electrical characterization of capacitors
- Thermal characterization of capacitors
- Evaluation of their potential for power electronic applications
- Development of an active power cycling test

Characterization

- Impedance characterization dependent on frequency, bias voltage and temperature
- Leakage current characterization dependent on temperature and bias voltage
- Thermal characterization under different load and environmental conditions



2



3



4

Reliability test

- Temperature humidity bias test (THB)
- Highly accelerated life test (HALT)
- Passive thermal cycling
- Active heating of capacitors
- Power cycling of capacitors (current research)

Failure analysis

- Cross section analysis and optical inspection
- Scanning electron microscopy and material analysis via EDX
- Lock-In thermography
- Focused ion beam preparation

Halt test system


- Simultaneous testing of up to 196 devices
- Online capacitance and leakage current measurement
- Voltages up to 1kV; Temperatures up to 175°C

Static aging by active heating

- Active heating of capacitors in an Ćuk converter
- Rectangular current; triangular voltage shape
- Online temperature and capacitance measurement
- Electrical, thermographical and optical recording of failures



5



6

4 Crack in a failed capacitor

5 Ćuk converter test setup

6 Voltage and current waveform of at the capacitor during test